

<b>Data Table 6-2, Site-Specific Parameters Used for Airborne Pathway Doses</b>						
<b>Pathway</b>	<b>Reference Person 95th Percentile (Individual)</b>	<b>SRS MEI Pre-2012 Adult Individual</b>	<b>Percent Difference</b>	<b>Typical Person 50th Percentile (Population)</b>	<b>SRS Population Pre-2012 Average Adult</b>	<b>Percent Difference</b>
Fruits, vegetables, and grains (kg/yr)	289	276	↑0.5%	89	163	↓45.4%
Leafy vegetables (kg/yr)	31	43	↓27.9%	11	21	↓47.6%
Milk (L/yr)	260	230	↑13%	69	120	↓42.3%
Meat (beef) (kg/yr)	81	81	0.00%	32	43	↓26.3%
Inhalation (m <sup>3</sup> /yr)	6,400	8000	↓20.0%	5,000	5548	↓9.9%
<b>50-mile Population</b>						
2010 US Census (persons)	781,060					
<b>Release Locations for Representative Person Dose</b>						
	<b>Reactors</b>	<b>F &amp; H</b>	<b>SRNL</b>	<b>Diffuse and Fugitive</b>		
<b>Release height, m</b>	40	61	31	0		
<b>Release location (site coordinates)</b>						
<b>East</b>	40740	63380	51860	58000		
<b>North</b>	54130	71900	106670	62000		